

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	263	726/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:39
L2	209	726/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:39
L3	541	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:39
L4	327	380/259-260.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:39
L5	215	380/283.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:39
S1	10	((("5241594") or ("6539479") or ("6317829") or ("4249180") or ("6668321"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 14:45
S2	0	"363039228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:12
S4	0	"jp-363039228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:12
S5	0	"363039228A"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:13

EAST Search History

S6	0	"jp363039228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:13
S7	1	"jp363039228a"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:13
S8	83	password near5 counter same (transmit\$4 authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:29
S9	32	password near5 counter same (transmit\$4 authenticat\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:30
S10	28	password near5 counter same (transmit\$4 authenticat\$3) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:33
S11	16	password near5 counter same (transmit\$4 authenticat\$3) and password with key and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:34
S12	5	password near5 counter same (transmit\$4 authenticat\$3) and password with key with (encrypt\$3 encipher\$3) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:41
S13	2	password near5 counter same (transmit\$4 authenticat\$3) and password with key with (encrypt\$3 encipher\$3) and ((replac\$3 chang\$3 renew\$3) with password) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:42
S14	9	password near5 counter same (transmit\$4 authenticat\$3) and ((replac\$3 chang\$3 renew\$3) with password) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:06

EAST Search History

S15	22	password with counter same (transmit\$4 authenticat\$3) and ((replac\$3 chang\$3 renew\$3) with password) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:27
S16	13	S15 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:07
S17	97	password with counter and ((replac\$3 chang\$3 renew\$3) with password) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:25
S18	13	key with counter same (transmit\$4 authenticat\$3) and ((replac\$3 chang\$3 renew\$3) with password) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:59
S19	1	password with (combin\$3 concatenat\$3) with counter same (transmit\$4 authenticat\$3) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:00
S20	2	password with (combin\$3 concatenat\$3) with counter and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:31
S21	6	password with (combin\$3 concatenat\$3) with (counter increment\$3 count\$3)and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:36
S22	858	password with (count\$3 increment\$3 track\$3) and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:36
S23	389	password with (count\$3 increment\$3 track\$3) and (renew\$3 chang\$3 generat\$3) and counter and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:44
S24	154	password with (count\$3 increment\$3 track\$3) and (renew\$3 chang\$3 generat\$3) and authenticat\$3 and counter and @ad <="20000615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:36

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	242	transmit\$3 with (encrypt\$3) with data with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L2	922	password with ((secur\$3 private) near2 (communication channel connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L3	177	password with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L4	2367	key with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L5	66	pin with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L6	2	passcode with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L7	0	secretcode with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L8	3	(secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L9	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41

EAST Search History

L10	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L11	0	((pass adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L12	1039	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (encrypt\$3 adj key) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L13	18	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L14	24	"6424954"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L15	85	password with generat\$3 with (session adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L16	6	"6317829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L17	300	International-Business-Machines.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L18	1	International-Business-Machines.as. and (password with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L19	2	International-Business-Machines.as. and (password and encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41

EAST Search History

L20	2	International-Business-Machines.as. and (password and encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L21	1	International-Business-Machines.as. and (password with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L22	300	International-Business-Machines.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L23	1039	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (encrypt\$3 adj key) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L24	85	password with generat\$3 with (session adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L25	2367	key with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L26	18	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L27	922	password with ((secur\$3 private) near2 (communication channel connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L28	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L29	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41

EAST Search History

L30	2	passcode with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L31	66	pin with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L32	177	password with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L33	242	transmit\$3 with (encrypt\$3) with data with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L34	0	713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L35	512	713/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L36	386	380/278.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:41
L37	2	("6735310").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 17:53
L38	121	713/158.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:00